

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13431	(340/2.1-2.8,10.1-10.6,10.5,10.51,572.1-572.9).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L2	776	(700/215,221,225,225,227).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L3	344	(726/20).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L4	151	(365/192).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L5	683	(455/150.1,151.1).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L6	23054	(235/375-385,492).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L7	37008	L1 OR L5 OR L4 OR L6 OR L3 OR L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L8	6814	L7 AND ((RFID ADJ tag) OR ("Radio Frequency") ADJ4 tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42

L9	6198	L8 AND (Reader OR interrogat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L10	1519	(365/192,104).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L11	38372	L7 OR L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L12	6815	L11 AND ((RFID ADJ tag) OR ("Radio Frequency") ADJ4 tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L13	6684	L12 AND (Read\$3 OR interrogat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L14	3093	L13 AND capacit\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L15	93	L14 AND "high impedance"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L16	2894	L9 AND capacit\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L17	95	L14 AND high ADJ (impedance OR resist \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42

L18	6199	L12 AND (Reader OR interrogat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L19	3	L17 AND diode-connected	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L20	96	("5345576" "5241635" "5325501" "5365526" "5410668" "5428565" "5664120" "5684976" "5701508" "5802578" "5835748" "5852726" "5857096" "5870579" "5893148" "5900013" "5940859" "5995420" "6035376" "6047004" "6057709" "6170997" "6202925" "6243012" "6266686" "6272602" "6282700" "6347723" "6446171" "6525648" "6751725" "6798219" "6816063" "7142116" "7204414" "7275970" "20010047469" "20020180406" "20030112126" "20040181649" "20040206810" "20040242087" "20050211774" "20060276206" "20070167139" "6170748" "5995006" "4522456" "5342619" "5434775").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L21	14	L20 and RFID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L22	5	L17 AND (diode adj connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L23	3	L14 AND ((large or high) ADJ3 impedance ADJ3 node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L24	20	L14 AND (stored ADJ charge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42

L25	1	L23 and L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L26	5	(dissipat\$3 or discharge) WITH (stored ADJ2 charge) WITH (constant ADJ3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L27	13	(dissipat\$3 or discharge) SAME (stored ADJ2 charge) SAME (constant ADJ3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L28	1	L27 and L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L29	3649	(dissipat\$3 or discharge) WITH (constant ADJ3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L30	1	L29 and L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L31	332	L14 and discharge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L32	546	L14 and transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L33	165	L14 and (diode WITH transistor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42

L34	51	L31 and L33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L35	9	L34 and flag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L36	1	L34 and ("select flag" or "SL")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L37	10	L14 and ("select flag" or "SL")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L38	9	L34 and (flag or "select flag" or "SL")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L39	2	"US 20070171693"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/01 08:42
L40	431	(two ADJ3 transistors) SAME (two ADJ3 ferroelectric ADJ capacitors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 08:42
L41	0	L14 and L40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L42	9	RFID and L40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L43	17	("20010026187" "20030183699" "20050157529" "20050174845" "20050180187" "5525991" "6046926" "6097622" "6809952"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42

L44	13431	(340/2.1-2.8,10.1-10.6,10.5,10.51,572.1-572.9).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L45	776	(700/215,221,225,225,227).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L46	344	(726/20).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L47	151	(365/192).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L48	683	(455/150.1,151.1).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L49	23054	(235/375-385,492).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L50	37008	L44 OR L48 OR L47 OR L49 OR L46 OR L45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L51	1519	(365/192,104).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L52	38372	L50 OR L51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42

L53	6815	L52 AND ((RFID ADJ tag) OR ("Radio Frequency") ADJ4 tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L54	6684	L53 AND (Read\$3 OR interrogat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L55	3093	L54 AND capacit\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L56	1	L55 and (trim\$3 WITH transistor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 08:42
L57	2	"US 20080129506"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/01 08:42
L58	276738	(write NEAR2 on\$2) OR "WORM"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:12
L59	1229	((write ADJ once) OR "WORM") AND RFID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:14
L60	0	L59 AND (mod or modulation) and (demod or demodulation) and antenna and memory and (ferroelectric ADJ2 capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:15
L61	1	L58 AND (mod or modulation) and (demod or demodulation) and antenna and memory and (ferroelectric ADJ2 capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:16
L62	0	(L58 AND (mod or modulation) and (demod or demodulation) and antenna and memory and (ferroelectric ADJ2 capacitor)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:16

L63	0	((write ADJ once) OR "WORM") AND (mod or modulation) and (demod or demodulation) and antenna and memory and (ferroelectric ADJ2 capacitor)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:17
L64	0	((write ADJ once) OR "WORM") AND (mod or modulation) and (demod or demodulation) and antenna and memory and (ferroelectric ADJ2 capacitor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:17
L66	1132	((JUN) near2 (KOYAMA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/01 09:19
L67	34	L66 and RFID	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/01 09:20

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L65	0	((write ADJ once) OR "WORM") AND (mod or modulation) and (demod or demodulation) and antenna and memory and (ferroelectric ADJ2 capacitor))	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/01 09:17

10/ 1/ 2009 9:27:23 AM**C:\ Documents and Settings\ hbyrne\ My Documents\ EAST\ Workspaces\ 10591275.wsp**